

REFERENCES

Ref : UK-PW-TE-Furmanite EN 04/03/04

1/1

www.zinga.eu

POTABLE WATER - CARLISLE / FURMANITE - UK

This is a fax message from the company **FURMANITE** of 9 January 2001 addressed to the company Bon Accord in the UK, concerning the use of **ZINGA** as anti-corrosion protection for applications in contact with potable water at their **CARLISLE** factory.

Especially the fact that **ZINGA** is a time-saving product, is important for the customer.

| fax | Furnanite International Limbs of Furnam House, Shap Roc d Furnam House, Shap Roc d Kendal, Csonbria LID GRU. United Kingdon Tel 01539 779009 Fax 01539 779019 Mall: wk.coopin/@furnamite.com Internet: http://www.furnamite.com/Internet: https://www.furnamite.com/Internet: https://www.furnamite.com/Inter | FURMANITE A KANED COMPANY |
|--|--|---------------------------|
| fax toBCN ACCORD META | L SUPPLIES LTD | |
| attention of BILL DOWNIE | | |
| cc | | - |
| fax no. 01224 87 9730 | ref number | _ |
| from DOMINIC DEAN | | _ |
| date 09/01/2001 no. of | pages (including cover) | - |
| | IGA COATING. | , |
| Bill, | d. | 0 |
| The ZINGA is going well. We have been using it, at our Carlisle factory, instead of hylon coating for drinking water applications. This has meant Aero can supply a coated enclosure with a considerable time saving between finishing fabrication/machining and being delivered to site | | |
| However, I do need a Material Safety Data Sheet for it so I can finish off the COSHH assessment for the material. | | |
| Please can you supply me with one? | | |
| Regards (For Furnanite International Limited | | |
| 00 | | |
| Dominic Dean Manager Materia s Technology | • | |

System: ZINGA $2 \times 60 \mu m$ DFT